



Technical Specification

Item 104XXG0012


Triplex Extruder 90 / 200 / 150

Tech. Spezifikation	Upper Extr.	Middle Extr.	Lower Extr.
Manufacturer	Troester (dism.)	Troester	Troester
YOM	1987	1987	1987
Model	QSM 90K /16D	200 W / 6D	QSM 150K/16D
Screw Diam.	90mm	200mm	150mm
Feeding Type	Cold Feed	Hot Feed	Cold Feed
Barrel Type	Pin Type	Blain	Pin Type
Feeding Roll	available	available	available
Reducer ratio	14:1	19,94:1	21,54:1
Transmission	V-belt	V-belt	V-belt
Motor Power	53kW	110kW	162kW
Motor speed	1500 1/min	1500 1/min	1540 1/min
max. pressure with Head	200bar	200bar	200bar
max. pressure without Head	350bar	200bar	250bar
Head	Troester Triplex MW 500		
Control	not available		
Electric	not available		
Motor	not available		
Hydr. Power pack	Rexroth		
Documentation	available		
Baseframe	available		



Pelmar Engineering Ltd.

3 Bustenai St., P.O.Box 2418, Ramat-Hasharon, 47302 Israel | Tel: +972 (3) 540 9277 | Fax: +972 (3) 549 3520
Email: mail@pelmar.com | www.pelmar.com





Pelmar Engineering Ltd.

3 Bustenai St., P.O.Box 2418, Ramat-Hasharon, 47302 Israel | Tel: +972 (3) 540 9277 | Fax: +972 (3) 549 3520
Email: mail@pelmar.com | www.pelmar.com





Pelmar Engineering Ltd.

3 Bustenai St., P.O.Box 2418, Ramat-Hasharon, 47302 Israel | Tel: +972 (3) 540 9277 | Fax: +972 (3) 549 3520
Email: mail@pelmar.com | www.pelmar.com

