

Hondornliste

D2 Hondorne für kurze und lange Bohrungsdurchmesser

D2 mandrels for short and long bores

D2 mandrins pour alésages court et long

D2-090 2,286-2,337mm

K-Hondorne für Bohrungen mit Bohrungslänge bis 5-facher Bohrungsdurchmesser

K-mandrels for bores length less than 5 time diameters

K-mandrins pour alésages longueur inférieur à 5 diamètre

K3-114	2,90-2,95mm
K3-116	2,95-3,00mm
K3-118	3,00-3,05mm
K4-125	3,17-3,30mm
K4-130	3,30-3,43mm
K4-135	3,43-3,56mm
K4-140	3,56-3,68mm
K4-145	3,68-3,81mm
K5-155	3,94-4,06mm
K5-160	4,06-4,19mm
K5-165	4,19-4,32mm
K5-170	4,32-4,44mm
K5-175	4,44-4,57mm
K5-180	4,57-4,70mm
K6-195	4,95-5,08mm
S-K6-200	5,08-5,21mm
K6-230	5,84-5,97mm
K6-235	5,97-6,10mm
K8-245	6,22-6,35mm
K8-260	6,60-6,73mm
K8-270	6,86-6,98mm
K8-275	6,98-7,11mm
K8-285	7,24-7,37mm
K8-290	7,37-7,49mm
K10-308	7,82-8,03mm
K10-316	8,03-8,20mm
K10-331	8,41-8,61mm
K10-339	8,61-8,81mm
K10-347	8,81-8,99mm
K10-354	8,99-9,19mm
K12-370	9,40-9,78mm
K12-385	9,78-10,16mm
K12-400	10,16-10,57mm
K12-432	10,97-11,35mm

K12-463	11,76-12,17mm
K16-495	12,57-13,36mm
K16-526	13,36-14,15mm
K16-557	14,15-14,94mm
K16-588	14,94-15,72mm
K20-619	15,72-16,51mm
K20-650	16,51-17,30mm
K20-681	17,30-18,11mm
AK20-744	18,90-19,68mm
AK20-775	19,68-20,47mm
AK20-806	20,47-21,29mm
AK20-838	21,29-22,07mm
AK20-931	23,65-24,43mm
AK20-994	25,25-26,19mm
AK20-1000	25,15-26,97mm

BL und L-Hondorne für Bohrungen länger als 5 facher Bohrungsdurchmesser

BL and L-Mandrels for bores length more than 5 times diameter

BL et L- mandrins pour alésage longueur supérieur à 5 diamètre

BL5-180	4,57-4,70mm
BL8-260	6,60-6,73mm
L12-385	9,78-10,16mm
L12-416	10,57-10,97mm
BL12-432	10,97-11,35mm
L12-463	11,76-12,17mm
BL16-526	13,36-14,15mm
L16-588	14,94-15,72mm
BL20-619	15,72-16,51mm
BL20-681	15,72-16,51mm
L20-681	17,30-18,11mm
BAL20-869	22,07-22,86mm
BAL20-931	23,65-24,43mm

P-Hondorne, Mehrsteindorne für Durchgangs und Sacklochbohrungen (in den kleineren Durchmessern für sehr lange Bohrungen und Tandembohrungen geeignet)

P-Mandrels, for short and long bores

P-mandrils pour alésage court et long

2G-P20-687	17,30-18,24mm
2G-P20-781	19,68-20,62mm
2G-P20-843	21,29-22,22mm
3G-P20-843	21,29-22,22mm

2G-P20-906	22,86-23,80mm
3G-P20-937	23,65-24,59mm
3G-P20-968	24,43-25,40mm
4G-P20-968	24,43-25,40mm
2G-P28-1000	25,15-26,97mm
3G-P28-1000	25,15-26,97mm
2G-P28-1062	26,72-28,58mm
3G-P28-1062	26,72-28,58mm
2G-P28-1125	28,32-30,15mm
2G-P28-1187	29,90-31,75mm
4G-P28-1375	34,42-38,10mm
2H-P28-2500	62,99-66,68mm

Y-Hondorne, für Bohrungen mit Keilnuten

Y-mandrels for bores with keyways or splines

Y-mandrels pour alésage avec rainures ou cannelures

Y10-354	8,99-9,19mm
Y12-385	9,78-10,16mm
Y12-463	11,76-12,17mm
Y16-526	13,36-14,15mm
YY16-526	13,36-14,15mm
Y16-557	14,15-14,94mm
Y16-588	14,94-15,72mm
Y20-619	15,72-16,51mm
Y20-650	16,51-17,30mm
Y20-681	17,30-18,11mm
Y20-744	18,90-19,68mm
AAAY20-775	19,68-20,47mm
AAAY20-838	20,47-21,29mm
AAAY20-931	23,65-24,43mm
AAAY20-962	24,43-25,25mm
YY24-931	23,65-24,43mm
Y32-1125	28,37-30,15mm
YY32-1181	30,00-30,78mm
Y32-1187	29,95-31,75mm
Y32-1250	31,55-33,32mm
Y88-2750	69,60-73,02mm